# SIMPLE Spec Writing

# A system of templates speeds production and prevents misunderstandings

don't submit "proposals" to prospective clients; instead, I provide a detailed set of specifications. If I get the work, the clear, concise, easy-to-read specs become the guidelines for production of the job. For those jobs not administered by an architect, a system for producing detailed project

by Susan Cosentini

specifications can greatly improve the efficiency, productivity, and client satisfaction of every project.

### Why Write Specs?

A full set of specifications has advantages for both you and your clients.

Client education. The average homeowners are not familiar with the world of construction, so it's up to you to educate them. The more your clients understand about how the job will be put together, the easier it will be for them to communicate with you, and the more successful the job will be. The building business has become more about installing premanufactured components and providing good customer service than about producing jobs from scratch. Specs teach clients about the correct installation and use of the wide variety of building products on the market.

I've learned that when problems arise in the building process, the cause is usually a communication breakdown of some kind. Good specs make for good communication, and they are critical to the success of any construction business. I can't count the number of times my detailed specifications have helped resolve a potentially confrontational situation when we bargained to do one thing but the homeowner thought they were getting something else. Good specs identify exactly what I'm going to do. I almost never hear a client say, "Oh, I thought you were going to do that, too," which is usually where the problems start.

Better management. It's difficult to have a life and run a construction company at the same time. Good specs can help you get your life back by providing your crew with the information they need. I give my field employees a bound copy of the specs several weeks in advance of the start of work so they can become acquainted with them when they are relaxed and have time to absorb everything. I also mail, fax, or e-mail specs to subcontractors to estab-

## **Specification Categories**

**Site Preparation** 

demolish, remove and dispose demolition surfaces demolition structural

### **Excavation & Site Work**

excavation and hauling trenching fill and haulage site drainage rough grading finish grading landscaping seeding and mulching

### Concrete

concrete footings/slabs concrete walls concrete beams and stairs concrete accessories other concrete

### **Masonry**

walls and foundations fireplace and chimney brickwork stucco coatings stone and earth work other masonry

### Metals / Ironwork

structural metal metal joists and decking ornamental metal work other metals

### **Framing**

sills and basements beams and trusses floor assemblies exterior wall assemblies interior wall assemblies roof assemblies ceiling/soffits stair framing framing repairs decks porches garages nails and framing hardware other framing

### Roofing

roofing materials flashing special roofing materials

### Windows, Skylights & Exterior Doors

factory windows and doors; wood factory windows and doors; metal custom windows, custom doors window repairs hardware and screens other windows, other doors garage doors skylights skylight flashing drywall return detail skylight

### Siding, Soffits, Fascia & Exterior Trim

tyvek or typar siding materials other siding

### Thermal & Moisture

insulation
foundation insulation
perimeter slab insulation
foundation water proofing
gutters and downspouts
vapor barrier
caulking and sealants

### **Wall & Ceiling Finishes**

drywall ceiling tiles and panels textured finish wall and ceiling repairs other wall and ceiling

### **Interior Doors**

factory prehung units custom doors locksets and deadbolts keyed alike weatherstripping

### **Interior Trim**

window trim
door trim
drywall returns on windows and doors
baseboard
interior shelving
interior stairs
wall and kneewall caps

### **Finishes / Painting**

interior painting or staining exterior painting washing and scraping of windows

### Cabinetry

kitchen cabinets countertops bath vanities and countertops other cabinetry

### Tile & Glass

ceramic wall tiles floor tiles specialty glass and blocks other tile and glass

### **Specialties**

intercom and security mailboxes and directories fire equipment signs and graphics bath accessories signs and graphics other specialties

### **Special Constructions**

pools and ponds sheds and barns handicapped access conveying systems other special systems

### **Plumbing & Heating**

utility hookups supply and drain vent lines plumbing fixtures floor drain sump sprinkler system plumbing fixtures hot water heater boilers and radiators inspections other plumbing

# Heating, Ventilating & Air Conditioning Systems

electrical electrical demolition utility hookups boxes and wiring switches and outlets electrical fixtures electrical fixtures fans, smoke detectors heating systems other electrical

### **Appliances**

kitchen appliances range oven microwave refrigerator dishwasher trash compactor laundry appliance other appliances

### Flooring

wood flooring vinyl tile carpet

### **General Conditions**

permits and fees inspections insurance verification warranties time frame change orders utilities trash removal interim and final cleanup

**Figure 1.** Shown here are the major subheadings of the author's master template, which organizes her specs into phases that roughly follow the chronological order of construction. When visiting the site for the first time, the author uses a printed copy of the file — complete with a full text description of each phase of work — as a checklist and as a place to make notes that will later be incorporated into the job specifications.

lish, and later to coordinate, their scope of work. Good specs make for good relationships with field personnel, and they make it much easier to run multiple projects at the same time and still have some time left over for yourself.

More sales. A good sales presentation increases a client's comfort level. Detailed specs, professionally presented, say "quality" to your prospects and can be the deciding factor in which contractor gets the job. From the "study specs" I bring to the first meeting to the final documents, I give my prospects plenty to think about. My specs have won many bids because they convey the impression of a well-organized company.


Specs also help you justify your price. Once the clients understand everything that is involved in a complex renovation or custom home construction, they will better understand the way you have priced the work.

### **The Master Template**

I arrange my specs on my computer according to a combination of AIA (American Institute of Architects) and CSI (Construction Specifications Institute) divisions and categories, along with my own additions and interpretations adapted to my business. You don't need fancy software — any word-processing program will do.

The master template headings and subheadings include all the detailed written specifications for each part of the job, starting with "site preparation," and roughly follow the order in which the actual work will be done (see Figure 1). Since the specifications are first used as a platform to generate my estimate, then later to direct the production of the job, it's important for the organizational scheme to mimic the actual work process.

Job-specific templates. In addition to the master template, I keep a folder called "Proposals" on my hard drive that contains examples of completed specifications for a variety of project types, such as "Addition," "Addition with Renovation," "Kitchens," "Baths,"






Figure 2. The author stores documents in the "Favorites" folder, which is on the directory bar in the MS Word File I Open dialogue box (above). In the hierarchy of sub-folders, current and pending jobs are stored in separate folders, followed by a "Proposals" folder, which holds completed specs from former jobs organized by type of work (left).

"Decks," and so on (Figure 2). Over the years, I've refined each of these job-specific templates so they can be used to quickly create specifications for new jobs. My clients may think it takes me a ton of time to create their specs, but 90% of the work is done before I start.

Taking notes. To begin creating specifications for a job, I print a paper copy of the master template with lots of space between the subheadings for notes. I take these "study specs" with me to my initial client meeting or job walk-through. As I look over the job and talk to the clients, I make notes in the appropriate categories and do some on-the-spot editing of the actual text. My long, well-organized printout gives me an edge over the competition and their yellow pads, because I not only appear better prepared, but I don't have to rely on handwritten notes for everything because the basics are printed in the specs. Instead, I can focus my notes on what makes this job different, which makes it much easier to remember the job later, even if a lot of time passes before I prepare the estimate.

### Save As

When I finally get the time to write up the specifications, I fire up my word processor and create a new folder using the client's name as a title. This is where I will store all of the documents related to that job. Next, I go to my "Proposals" folder and open an existing file with specs that roughly match the new job. If I were about to write specs for a kitchen remodel, for instance, I would find an existing file for a kitchen where the scope of work was similar. Before I make any changes to this file, however, I use the File | Save As command to rename the file with the new customer's name.

At the top of every new spec document, I record the vital client information: names, mailing address, property address, referenced documents, and any other important information about the project. I'm careful to make this information block as complete as possible, because I "copy and paste" it to all of the other documents associated with the job, including informational mailings to subs and suppliers, contract documents, change orders, invoices, and so

### Flooring

### **Wood flooring**

See Drawings. Contractor shall provide and install new 21/4" red oak select flooring wherever indicated and as necessary to accommodate new floor plan. Existing flooring shall be retained wherever possible; however, if removal is necessary, replacement with new shall either be toothed into old for seamless finish or brought to an acceptable transition point. New flooring and affected areas shall be sanded and finished using a three-coat method, Lenmar polyurethane, no staining included. Basement floor shall be retained everywhere but in the kitchen and bath.

### Vinyl

Basement kitchen and bath floors shall be removed if possible and new sheet vinyl flooring shall be applied over concrete slab. If existing parquet floor cannot be removed, an acceptable substrate for perimeter-glued vinyl shall be provided and a perimeter-glued floor shall be chosen for this application. Vinyl allowed at \$11/square yard.

### Tile

None

**Figure 3.** Template headings and subheadings serve as prompts while preparing the specs. Excluded work is indicated with the word "none," so there is no misunderstanding. Detailed specs are complete but concise, typically stating the particular materials and methods that will be used for that part of the work.



### concrete slabs

See drawings, Contractor shall place and finish new 4" concrete floor in the Concrete shall be 4000 psi. with  $6\times6\times10$  welded wire mesh lifted into the fiber mesh impregnated concrete. Trowel finish. 2" of rigid insulations have the slab over 6 millipolyethylene vapor barrier. Slabs shall not be allowed cooling during curing process. In the event that temperatures are above barrier shall be applied over the finished concrete to prevent premature of masonry shall be prevented from freezing or reaching temperatures beloweating and concrete blankets or straw.

### concrete beams and stairs

concrete accessories

other concrete

### <u>Masonry</u>

### walls and foundations

See Drawings. Masonry Contractor shall provide and install a new 8" cor to proper height to allow installation of new floor system to line up with Foundation shall be anchored to existing foundation with 1/2" steel rein minimum of 3" into existing foundation and laid into fully poured core can "Durowall" steel reinforcing grid shall be used on alternate courses, 1/2" about the imbedded in fully poured come 4"0" on senter beginning and a shall be used on alternate courses.

Figure 4. In older versions of MS Word, selecting "Outline" from the "View" menu produces a list of headings that can be expanded or collapsed using the plus and minus buttons on the toolbar (right). You can also navigate through the outline using the numbered buttons on the toolbar, which correspond to levels of indentation.

Newer versions of MS Word have a "Document Map" feature on the "View" menu. The "map" consists of an expandable outline that opens in a separate frame to the left of the regular text (above). Since the outline can be scrolled independently, it's even easier to find the text you want, then cut and paste it into the specs.

- finish grading
- landscaping seeding and mulching
- ⊕ Concrete

  - concrete beams and stairs
  - concrete accessories
  - other concrete
- ⊕ Masonry
  - walls and foundations
  - fireplace and chimney
- - Structural metal
  - Metal joists and decking
  - Ornamental metal work
  - other metals
- ♣ Framing
  - Sills and basements
  - $\hfill =$  beams and trussed
  - floor assemblies

on. Eventually, I hope to create a system where I can enter this information once and link it to the various documents, but for now my "copy and paste" technique works well.

With the marked-up walk-through printout in hand, I add to and change the computer version till it matches the current job. The advantage of using a previously saved document is that it already has a lot of the language and elements necessary for the new job. I simply delete lines that are not applicable and add new language from my notes. Also, the specs from a former job serve as a reminder and ensure that I include all the parts and pieces of the project. Not only is nothing overlooked, but if my specs vary from what other bidders are pricing, I can easily point out the differences to my clients.

By themselves, the headings and subheadings of the spec document help to present a "picture" of the job. If I've deleted a heading or subheading from the specs, there is no question that the work is not included: If it isn't there, we're not doing it. The specs contained within each subheading are detailed, but I try to keep them brief and to the point, simply stating the material and processes that I will use to build that part of the job (Figure 3).

Some phrases can be used over and over again. For example, the phrase "provide and install" indicates that I will be purchasing and installing the specified material: "Provide and install one Prop-R-Vent chute per rafter cavity to allow proper roof ventilation." In other cases, however, I might install material purchased directly by the owner, so the spec might say: "Install Dining Room light fixture provided by owner."

To keep the specs concise, I use phrases like "as necessary, in affected areas" to describe the scope of certain types of work. For instance, the spec "Replace insulation as necessary, in affected areas" indicates that I do not plan to retrofit insulation in the entire house — I am only agreeing to "replace" insulation in those areas that are affected by the remodeling work.

### **Outline View**

In MS Word, the word processor I use, I can display my master templates as an outline, which is an option under the "View" menu (Figure 4). The outline enables me to "collapse" many lines of text into a comparatively short list, which can then be "expanded" by double-clicking to show detail. For instance, if I want to insert language describing concrete slabs into a document, I open my master document, then "expand" the Concrete subheading to display all the text. Once I locate the specific description I want, I copy and paste the language into the new specs.

### **Maintaining the System**

The phrases I use in my specifications have come from a variety of sources. Some I have created over the years; others I have garnered from subs and suppliers. I also make use of manufacturer tech sheets, since I know my clients are going to expect me to know trivia I'd

just as soon forget. Instead of throwing product literature and cut sheets away, I take a few minutes each week to enter new information into my master specs. This small time investment pays off later when that information is at my fingertips while I prepare specs for a new project. It's a lot easier to find information about an obscure insulation system or a particular type of wire in your specification outline than to dig through piles of paper in your office.

### **Personalizing the Final Product**

Over time, this spec-writing system has become so streamlined that I spend less time entering data and more time personalizing the end result to set myself apart from the competition. For example, I might insert a separate section detailing the special measures I plan to take to protect a cherished family heirloom, or I might include a section explaining details planned to accommodate a physically challenged

client. This not only ensures that the production crew doesn't omit these details, but it lets my clients know that I have their best interests at heart.

My specs are also the focal point of a three-ring binder I create for each client. I use custom-made tabs to index the various phases, and I include full-color cuts of the various products I will be installing, such as windows, doors, plumbing fixtures, and flooring.

I've invested a lot of time and effort developing and refining my system. I'm not interested in having the competition get it for free, which can easily happen if a prospect is sweet-talked into handing it over to a competitor's salesman. To prevent that from happening, I protect my documents with language about their exclusive use, and copyright infringement protection (see "Copyrights and Wrongs,"12/98).

**Susan Cosentini** is a builder and remodeler in Ithaca, N.Y.